






# THEOREM OF THE DAY



## Karp's Theorem (Detail) *Vertex Cover is NP-Complete.*




× 4



× 12

Given a graph  $G$ , e.g. the one on the right, you can easily find a *vertex cover*: a subset of vertices such that every edge is incident with at least one of these vertices. For this graph the subset  $\{b, c, d, e, g, h\}$  is a cover which




is *minimal*: every vertex is indispensable. This does not mean that it is a *minimum* cover: maybe you can start again and find a smaller? Certainly, the presence of two disjoint triangles  means that you cannot do better than 4 vertices because every triangle requires 2 vertices to cover it. So here is the problem known as **Vertex Cover**: given a graph  $G$ , and a positive integer  $K$ , can you find a cover of size at most  $K$ ? In our case the target might be set at  $K = 4$ . This is a **decision problem**: the answer is Yes or No.




Image courtesy of **IKEA**

A decision problem is said to belong to the class **NP**, roughly speaking, if evidence for a Yes solution can be checked easily (in a number of steps that is a polynomial function of the input size). Thus, if you assert that  $\{a, c, e, g\}$  is a cover of size 4 for our graph then I can quickly spot that edge  $fh$  is not covered. Vertex Cover is **NP-complete** because we can transform 3-SAT problems to Vertex Cover problems, and we already know that 3-SAT is **NP-complete** (Cook, 1971). In 3-SAT we have a collection of triples called *clauses* containing logic variables,  $x_1, x_2, x_3, \dots$ , and their negations  $x'_1, x'_2, x'_3, \dots$ . If  $x_i$  is True then  $x'_i$  is False and vice-versa. The decision problem is: can we assign truth values to each  $x_i$  so that each clause is *satisfied* (contains at least one True value)?

For example,  $(x'_1, x'_2, x'_3), (x'_1, x_3, x_4), (x'_1, x_2, x_3), (x'_2, x_3, x'_4)$ , is satisfied by  $x_1 = F, x_3 = T$ , with arbitrary values for  $x_2$  and  $x_4$ . How is this instance of 3-SAT transformed into Vertex Cover? We take a triangle for each clause and a single edge for each pair  $x_i, x'_i$ , as shown above. A further 12 linking edges join clause entries to their corresponding single edge vertices, as shown on the right. The resulting cleverly constructed graph has a cover with just 2 vertices per triangle if and only if a 3-SAT assignment covers the third linking edge to each triangle. The target  $K$  value in our example is  $K = 12$ .

A classic 1972 theorem of Richard Karp asserts the **NP-completeness** of Vertex Cover and no fewer than twenty other decision problems!



Web link: [cse312wi12.wordpress.com/2012/03/06/](http://cse312wi12.wordpress.com/2012/03/06/)

Further reading: *The Nature of Computation* by Christopher Moore and Stephan Mertens, Oxford University Press, 2011.

